

O'ZBEKISTON RESPUBLIKASI  
OLIY VA O'RTA MAXSUS TA'LIM VAZIRLIGI  
FARG'ONA DAVLAT UNIVERSITETI

**FarDU.  
ILMIY  
XABARLAR-**

1995 yildan nashr etiladi  
Yilda 6 marta chiqadi

2-2022

**НАУЧНЫЙ  
ВЕСТНИК.  
ФерГУ**

Издаётся с 1995 года  
Выходит 6 раз в год

## FarDU. ILMIY XABARLAR – НАУЧНЫЙ ВЕСТНИК.ФЕРГУ

**Muassis:** Farg'ona davlat universiteti.

«FarDU. ILMIY XABARLAR – НАУЧНЫЙ ВЕСТНИК. ФерГУ» "Scientific journal of the Fergana State University" jurnali bir yilda olti marta elektron shaklda nashr etiladi.

Jurnal filologiya, kimyo hamda tarix fanlari bo'yicha O'zbekiston Respublikasi Oliy attestatsiya komissiyasining doktorlik dissertatsiyalari asosiy ilmiy natijalarini chop etish tavsiya etilgan ilmiy nashrlar ro'yxatiga kiritilgan.

Jurnaldan maqola ko'chirib bosilganda, manba ko'rsatilishi shart.

O'zbekiston Respublikasi Prezidenti Administratsiyasi huzuridagi Axborot va ommaviy kommunikatsiyalar agentligi tomonidan 2020 yil 2 sentabrda 1109 raqami bilan ro'yxatga olingan.

Muqova dizayni va original maket FarDU tahririy-nashriyot bo'limida tayyorlandi.

### Tahrir hay'ati

**Bosh muharrir**  
**Mas'ul muharrir**

SHERMUHAMMADOV B.SH.  
ZOKIROV I.I

FARMONOV Sh. (O'zbekiston)  
BEZGULOVA O.S. (Rossiya)  
RASHIDOVA S. (O'zbekiston)  
VALI SAVASH YYELEK (Turkiya)  
ZAYNOBIDDINOV S. (O'zbekiston)

JEHAN SHAHZADAH NAYYAR (Yaponiya)  
LEEDONG WOOK. (Janubiy Koreya)  
A'ZAMOV A. (O'zbekiston)  
KLAUS XAYNSGEN (Germaniya)  
BAXODIRXONOV K. (O'zbekiston)

G'ULOMOV S.S. (O'zbekiston)  
BERDISHEV A.S. (Qozog'iston)  
KARIMOV N.F. (O'zbekiston)  
CHESTMIR SHTUKA (Slovakiya)  
TOJIBOYEV K. (O'zbekiston)

### Tahririyat kengashi

QORABOYEV M. (O'zbekiston)  
OTAJONOV S. (O'zbekiston)  
O'RINOV A.Q. (O'zbekiston)  
KARIMOV E. (O'zbekiston)  
RASULOV R. (O'zbekiston)  
ONARQULOV K. (O'zbekiston)  
YULDASHEV G. (O'zbekiston)  
XOMIDOV G'. (O'zbekiston)  
DADAYEV S. (O'zbekiston)  
ASQAROV I. (O'zbekiston)  
IBRAGIMOV A. (O'zbekiston)  
ISAG'ALIYEV M. (O'zbekiston)  
TURDALIYEV A. (O'zbekiston)  
AXMADALIYEV Y. (O'zbekiston)  
YULDASHOV A. (O'zbekiston)  
XOLIQOV S. (O'zbekiston)  
MO'MINOV S. (O'zbekiston)  
MAMAJONOV A. (O'zbekiston)

ISKANDAROVA Sh. (O'zbekiston)  
SHUKUROV R. (O'zbekiston)  
YULDASHEVA D. (O'zbekiston)  
JO'RAYEV X. (O'zbekiston)  
KASIMOV A. (O'zbekiston)  
SABIRDINOV A. (O'zbekiston)  
XOSHIMOVA N. (O'zbekiston)  
G'OFUROV A. (O'zbekiston)  
ADHAMOV M. (O'zbekiston)  
XONKELDIYEV Sh. (O'zbekiston)  
EGAMBERDIYEVA T. (O'zbekiston)  
ISOMIDDINOV M. (O'zbekiston)  
USMONOV B. (O'zbekiston)  
ASHIROV A. (O'zbekiston)  
MAMATOV M. (O'zbekiston)  
SIDDIQOV I. (O'zbekiston)  
XAKIMOV N. (O'zbekiston)  
BARATOV M. (O'zbekiston)

**Muharrir:** Sheraliyeva J.

**Tahririyat manzili:**

150100, Farg'ona shahri, Murabbiylar ko'chasi, 19-uy.  
Tel.: (0373) 244-44-57. Mobil tel.: (+99891) 670-74-60  
Sayt: [www.fdu.uz](http://www.fdu.uz). Jurnal sayti

Bosishga ruxsat etildi:

Qog'oz bichimi: - 60×84 1/8

Bosma tabog'i:

Ofset bosma: Ofset qog'oz.

Adadi: 10 nusxa

Buyurtma №

FarDU nusxa ko'paytirish bo'limida chop etildi.

**Manzil:** 150100, Farg'ona sh., Murabbiylar ko'chasi, 19-uy.

**Farg'ona,**  
**2022.**

<b>J.Xudoyberdiyev, A.Reymov, R.Kurbaniyazov, SH.Namazov, O.Badalova, A.Seytnazarov</b> Qoraqalpog‘istonning jelvakli fosforit uni asosidagi faollashgan superfosfat .....	248
<b>M.Ahmedov, Z.Teshaboyev</b> “Hayot davomida o‘qish” tamoyili asosida innovatsion xarakterga ega bo‘lgan “mavzu ishlanmasi” tayyorlash.....	255
KIMYO	
<b>S.Samatov, A.Ikramov, O.Ziyadullayev, S.Abduraxmanova</b> Benzaldegid va uning xosilalarini fenilatsetilen ishtirokida enantioselektiv alkinillash jarayoni.....	259
<b>I.Asqarov, G‘.Madrahimov, M.Xojimatov</b> <sup>3</sup> O-ferrotsenil benzoy kislotasini ayrim hosilalarining biologik faolligini o‘rganish .....	267
<b>U.Mamatkulova, X.Isakov, I.Askarov</b> Sarimsoqpiyoz va po‘stining kimyoviy tarkibi, shifobaxshlik xususiyatlari.....	271
<b>I.Askarov, Z.Nazirova</b> Qizil lavlagi tarkibidagi ayrim kimyoviy birikmalar va ularning ahamiyati .....	275
<b>I.Asqarov, B.Nizomov</b> Yeryong‘oq va yong‘oq mevasining qiyosiy kimyoviy tarkibi va shifobaxsh xususiyatlari .....	279
<b>I.Mamatova, I.Askarov</b> «Oltin vodiy» oziq-ovqat qo‘shilmasining giperglikemik xususiyatlari .....	283
<b>I.Askarov, X.Isakov, SH.Turaxonov</b> Monometilolmochevinagallat efirlarini olish .....	286
BIOLOGIYA, QISHLOQ XO‘JALIGI	
<b>A.Xusanov D.Kapizova, G.Zokirova, N.Oxunova</b> Farg‘ona vodiysi sharoitida ochiq urug‘li daraxt va butalarning so‘ruvchi fitofaglari (Iachnidae, diaspididae): faunasi va ekologiyasi.....	290
<b>M.Nazarov, M.Ma‘murova, A.Xamidov M.Mirzaxalilov</b> Baliqchilik xo‘jaligi hovuzlarida fitoplankton tarkibi va o‘simlikxo‘r baliqlarni yetishtirishda ularning o‘rni .....	295
ILMIY AXBOROT	
<b>Z.Xosilova</b> Oshiqcha tana vazni va uning aholi guruhlari (18-59 yoshlilar) orasida uchrash holati .....	299
<b>S.Mamadaliyeva, M.Omonova, B.Saydaliyev</b> Mahalliy xomoshyodan adsorbentlarda parafinni chuqur tozalash uchun kombinirlangan texnologiya .....	302
<b>A.Xolikulov</b> Buxoro xonligining Rossiya bilan siyosiy aloqalari tarixidan.....	306
<b>X.Jumaniyozov</b> Markaziy Osiyoning tabiiy-geografik, ijtimoiy-iqtisodiy, logistik imkoniyatlarining geosiyosiy jarayonlarga ta’siri.....	312
<b>A.Hakimov</b> Sovet davri maktab o‘qituvchilarining kundalik hayoti .....	316
<b>G‘.Israilov</b> Sakkokiy adabiy merosi o‘rganilishi manbalari xususida.....	321
<b>S.Xoliqov</b> Milliy xavfsizlikni ta’minlash jarayonida O‘zbekiston respublikasi Oliy Majlisi senati ishtirokining tashkiliy va nazariy-huquqiy asoslari .....	325
<b>O.Axmadjonova</b> Badiiy asarda psixologik (ruhiy) tahlil printsiplari va usullari.....	330
<b>D.Buzrukova</b> “Muhabbat” konseptining lingvomadaniy o‘ziga xosligi .....	334
<b>K.Topvoldiyev</b> Lermontov M.Yu. asarlarida XIX asr kavkazi.....	338
<b>S.Abduraxmonov, SH.Ibragimov</b> Ta’lim tizimida baholashning asosiy mezonlari va uning ahamiyati .....	345
<b>A.U.Choriyev, G.O Temirova,</b> <b>Yetuk kimyogar, kamtarin olim</b> .....	349

**QIZIL LAVLAGI TARKIBIDAGI AYRIM KIMYOVIY BIRIKMALAR VA ULARNING AHAMIYATI****НЕКОТОРЫЕ ХИМИЧЕСКИЕ СОЕДИНЕНИЯ КРАСНОЙ СВЕКЛЫ И ИХ ЗНАЧЕНИЕ****SOME CHEMICAL COMPOUNDS OF RED BEET AND THEIR SIGNIFICANCE****<sup>1</sup>Askarov Ibrokhim Rakhmonovich,<sup>2</sup>Nazirova Zulkhumor Abdulkhakimovna****<sup>1</sup>Askarov Ibrokhim Rakhmonovich***- Andijan State University, Doctor of Chemical Sciences, Professor.***<sup>2</sup>Nazirova Zulkhumor Abdulkhakimovna***- Lecturer, freelance researcher at the public health College named after Abu Ali ibn Sino in Pakhtaabad***Annotatsiya**

Maqolada qizil lavlagi o'simligi tarkibidagi ayrim kimyoviy birikmalar va ularning biologik ahamiyati haqida ma'lumotlar keltirilgan. Qizil lavlagi inson salomatligi uchun juda foydali birikmalarga boy bo'lib, uning tarkibida vitaminlar, minerallar, fenol birikmalar, karotinoidlar, nitratlar, askorbin kislota, betalain pigmentlar va shu kabi ko'plab biologik faol birikmalar uchraydi. Ushbu maqolada o'simlik tarkibidagi uglevodlar, aminokislotalar, vitaminlar, minerallar va ularning organizmda bajaradigan funksiyalari to'g'risida ma'lumotlar keltirilgan.

**Аннотация**

В статье приведены сведения о некоторых химических соединениях красной свеклы и их биологическом значении. Свекла богата очень полезными для здоровья человека соединениями, содержит витамины, минералы, фенольные соединения, каротиноиды, нитраты, аскорбиновую кислоту, беталаиновые пигменты и многие другие биологически активные соединения. В данной статье рассматриваются углеводы, аминокислоты, витамины, минералы, содержащиеся в свекле и их функции в организме.

**Abstract**

The article provides information about some of the chemical compounds in red beet and their biological significance. Beetroot is rich in compounds that are very useful for human health, it contains vitamins, minerals, phenolic compounds, carotenoids, nitrates, ascorbic acid, betalain pigments and many other biologically active compounds. This article discusses the carbohydrates, amino acids, vitamins, minerals in plants and their functions in the body.



**Kalit so'zlar:** qizil lavlagi, vitaminlar, mikroelementlar, betalain, biologik faollik.**Ключевые:** красная свекла, витамины, микроэлементы, беталаин, биологическая активность.**Key words:** red beet, vitamins, trace elements, betalain, biological activity.**INTRODUCTION**

Today, the use of synthetic drugs and food additives is gaining popularity in the world due to the safety of synthetic drugs. This is due to the fact that food supplements based on plants, animals and minerals with medicinal properties do not form harmful metabolites in the body and undergo complete biodegradation. Therefore, large-scale work is being carried out by scientists around the world to find, study and implement natural sources that contain biologically active substances that have medicinal properties [1,2].

One of the medicinal plants rich in such useful compounds and widely used today in the food industry, pharmaceutical industry and folk medicine is the red beet plant [3].

Red beets are rich in compounds that are very useful for human health, including vitamins, minerals, phenolic compounds, carotenoids, nitrates, ascorbic acid, betalain pigments and many other biologically active compounds. The high content of betalain pigments in red beets compared to other plants has led to its widespread use in the food industry as a source of safe and environmentally friendly food dyes [4.].

Betalain pigments belong to the class of nitrogen-retaining pigments and are highly soluble in water. These pigments are known to have two main groups known as betacyanins, which range in color from red to reddish ink, and beta-xanthines, which are yellow in color.



These pigments in red beets not only give color to this plant, but also exhibit certain biological activities. For example, these compounds exhibit antioxidant properties and inhibit the formation of free radicals in the body.

The chemical composition of this plant is directly related to its growing region, species, genetics and harvest times.

EXPERIMENTAL PART. Studies show that 100 g of red beets contain 9.96 g of carbohydrates such as starch, fructose, sucrose, glucose, dietary fiber, 1.68 g of protein, 0.18 g of fat [5].

Many representatives of amino acids are found in red beet root (Table 1) [6].

Table 1

Amino acids in red beets  
(Amount per 100 g of root)

No	Name of amino acid	Quantity (g)
1	Tryptophan	0,019
2	Cystine	0,017
3	Prolin	0,042
4	Treonin	0,047
5	Serin	0,059
6	Asparagin	0,116
7	Glutamine	0,428
8	Glycine	0,031
9	Alanin	0,06
10	Valin	0,056
11	Methionine	0,018
12	Isolate	0,048
13	Leytsin	0,068
14	Tyrosine	0,038
15	Phenylalanine	0,046
16	Lysine	0,058

## KIMYO

17	Gistidin	0,021
18	Arginine	0,042

The content of saturated fatty acids in red beets is 0.027 g per 100 g of root, 0.032 g of monounsaturated fatty acids, the total amount of polyunsaturated fatty acids is 0.06 g. Also, the total amount of phytosterols in this plant is 25 mg.

Red beet leaves and roots are a rich source of trace elements and vitamins, further enhancing its healing properties.(2-3 table) [7].

Table 2

Vitamins in red beets  
(Amount per 100 g of product)

No	The name of the vitamin	Quantity (mg)
1	Vitamin A	0,02
2	Thiamine	0,31
3	Riboflavin	0,27
4	Niacin	0,331
5	Pantothenic acid	0,145
6	Vitamin V6	0,067
7	Ascorbic acid	3,6
8	Folic acid	80
9	Vitamin K	28

Table 3

Micronutrients in red beets  
(Amount per 100 g of product)

No	The name of the microelement	Quantity (mg)
1	Sodium	77
2	Calcium	16
3	Phosphorus	38
4	Potassium	305
5	Magnesium	23
6	Zinc	0,35
7	Iron	16,9

Niacin and pantogenic acids in red beets improve the activity of the pituitary gland and are actively involved in ensuring that the body does not age prematurely. Therefore, it is very beneficial to consume more juice made from the root of this plant.

The roots of the plant are rich in potassium, sodium and magnesium trace elements, which are important in the elimination of hypertension, atherosclerosis and other similar diseases in the human body, which are cardiovascular diseases. The root of this plant is also rich in iron, which is one of the main factors in the formation of blood in the body [8].

In addition to the biologically active compounds mentioned above, red beets also contain compounds such as polyphenols, flavanoids, carotenoids, saponins [9]. For example, several representatives of phenolic compounds have been found in this plant.

Table 4

Phenolic compounds in red beets  
(Amount per 100 g of product)

No	The name of the association	Quantity (mg)
1	Cyanide	37,1

2	Catexin	37,7
3	Quartzetin	7,9
4	Luteolin	108,2
5	Cesamine	8,5
6	Ferul acid	34,1
7	Resveratrol	5,7
8	Tyrosol	

Polyphenols are beneficial for the body as they exhibit strong antioxidant properties.

### CONCLUSION

In short, since red beets are chemically rich in biologically active compounds that are beneficial to the human body, one of the important tasks is to create new types of food additives based on the components of this plant and introduce them into folk medicine and modern medical practice. Especially at the height of the current pandemic, the consumption of beetroot supplements and beet juice, which are rich in unique chemical elements, is one of the most effective ways to boost the body's immunity.

We are conducting research on the creation of new food additives based on betalain pigments and other biologically active compounds in red beets to enhance the human body's immunity in the Research Laboratory of commodity Chemistry of Andijan State University and Cibus in Andijan.

### REFERENCES

1. И.П.Асқаров. Табобат қомуси. –Тошкент:МУМТОЗ СО'З. 2019,1142 б.
2. И.П.Асқаров. Сирли табобат. Фан ва технологиялар нашриёт-матбаа уйи, 2021. –Тошкент:1084 б.
3. Clifford, T., Howatson, G., West, D.J., Stevenson, E.J., 2015. The potential benefits of red beetroot supplementation in health and disease. *Nutrients* 7, 2801–2822.
4. Gandía-Herrero, F., García-Carmona, F., 2013. Biosynthesis of betalains: yellow and violet plant pigments. *Trends Plant Sci.* 18, 334–343
5. Agarwal, K., & Varma, R. (2014). Biochemical screening of beetroot leaves. *International Journal of Pharmaceutical Sciences Review and Research*, 1, 127-134.
6. Nemzer, B., Pietrzkowski, Z., Spórna, A., Stalica, P., Thresher, W., Michałowski, T., &Wybraniec, S. (2011). Betalainic and nutritional profiles of pigment-enriched red beet root (*Beta vulgaris* L.) dried extracts. *Food Chemistry*, 127, 42-53.
7. Yashwant K. (2015). Beetroot: A Super Food. *International Journal of Engineering Studies and Technical Approach*, 1, 20-26.
8. Онегов, А. Свекла целительница [Текст] / А. Онегов // Наука и Жизнь.– 2000. – № 9. – С. 64–66.
9. Miraj, S. (2016). Chemistry and pharmacological effect of *Beta vulgaris*: A systematic review. *Der Pharmacia Lettre*, 8, 404-409.

### LIST OF USED LITERATURE:

1. I.R.Asqarov. Medical encyclopedia. –Tashkent. CLASSIC WORD. 2019.1142 b.
2. I.R.Asqarov. Mysterious medicine. –Tashkent. Publishing House of Science and Technology, 2021. 1084 p.
3. Clifford, T., Howatson, G., West, D.J., Stevenson, E.J., 2015. The potential benefits of red beetroot supplementation in health and disease. *Nutrients* 7,2801–2822.
4. Gandía-Herrero, F., García-Carmona, F., 2013. Biosynthesis of betalains: yellow and violet plant pigments. *Trends Plant Sci.* 18, 334–343
5. Agarwal, K., & Varma, R. (2014). Biochemical screening of beetroot leaves. *International Journal of Pharmaceutical Sciences Review and Research*, 1, 127-134.
6. Nemzer, B., Pietrzkowski, Z., Spórna, A., Stalica, P., Thresher, W., Michałowski, T., &Wybraniec, S. (2011). Betalainic and nutritional profiles of pigment-enriched red beet root (*Beta vulgaris* L.) dried extracts. *Food Chemistry*, 127, 42-53.
7. Yashwant K. (2015). Beetroot: A Super Food. *International Journal of Engineering Studies and Technical Approach*, 1, 20-26.
8. Onegov, A. Sveklatselitelnitsa [Text] / A. Onegov // NaukaiJizn.– 2000. - № 9. - С. 64–66.
9. Miraj, S. (2016). Chemistry and pharmacological effect of *Beta vulgaris*: A systematic review. *Der Pharmacia Lettre*, 8, 404-409.